



From Bariatric to Pediatric, We've Got The Wheelchairs You're Looking For!





5 Reasons to Buy Your Wheelchairs from Medline.

1. Great Prices

As a manufacturer who sells direct, Medline provides aggressive pricing on a full line of wheelchairs, parts and accessories.

2. Flexible Financing Programs

Medline offers leasing, extended terms and consignment programs to help customers better manage their cash flow.

3. Stronger Chairs That Last Longer

Medline engineers and tests our wheelchairs to provide many of the highest weight capacities available. Components throughout the chairs are designed to last for many years of rigorous use.

4. Faster Delivery

Our nationwide network of 23 distribution centers ensures rapid and frequent delivery so our customers can grow their sales and decrease their inventory. We also have a factory-direct program where you can save big money on large orders.

5. Personal Service

Medline has more than 700 sales representatives across the country to provide prompt, responsive and knowledgeable service.

Table of Contents

Medline Quality	4-5
Excel 3000	6-7
Excel 2000	8
Excel Narrow	9
Excel 1000	10
Excel K4	11
Excel K3	12
Excel Extra-Wide	13
Excel Shuttle	14
Excel Transport	15
Excel Deluxe Aluminum Transport	16
Excel Aluminum Transport	17
Excel Pediatric	18
Excel Recliner	19
Wheelchair Cushions	20-21
Excel Specifications	22-23
Excel Accessories	24



Excel Wheelchairs: Better by Design

Before the first designs were drawn for the Excel wheelchair, our product development team agreed upon one idea—build a chair that fits comfortably into our customers' budgets, but doesn't sacrifice quality.

The entire Excel wheelchair line is designed to ensure that our wheelchairs provide unsurpassed quality, dependability and longevity. We recognize that a quality issue costs you time, money and your reputation. That is why we looked at every detail when designing our Excel wheelchair line.



Tig Welding

This weld may not look pretty, but it's crucial to the durability of our wheelchairs. Most chairs are manufactured using a clean looking bronze weld. Tig welding creates a stronger bond and therefore a stronger chair.



Stainless Steel Ratchet Bar

Most wheelchairs use carbon steel, but that makes them more prone to corroding and pitting. Our stainless steel ratchet bars resist corrosion and stand up better to daily use.



EXCEL WHEELCHAIRS

Sealed Bearings

The fork housing and the rear and front wheels are constructed with low maintenance, sealed bearings to keep dirt out and increase the durability of the chair.



Anti-Strip Seat Screws

Medline uses threaded seat screw inserts to minimize the stripping that often comes with repeated upholstery changes



Durable, Chip Resistant Chrome Plating

All Excel chairs with chrome plating undergo a triple plating process that resists flaking or chipping.



Reinforced and Oversized Chart Pocket

All of the Excel chart pockets are oversized and reinforced to make them easier to use and increase their durability.





E X C E L 3 0 0 0



Weight Capacity	300 lbs	Warranty on Upholstery Parts & Components	6 months
Seat Width	18"	Footplates	composite
Seat Depth	16"	Dual Axle	yes + transport
Warranty on Frame & Crossbar	limited lifetime	HCPCS Code	K0001, K0002

Item #	Description
MDS806150NDLX	16" Permanent full-length arms, swing-away detachable footrests
MDS806200NDLX	16" Permanent full-length arms, swing-away detachable elevating legrests
MDS806250NDLX	16" Removable desk-length arms, swing-away detachable footrests
MDS806300NDLX	16" Removable desk-length arms, swing-away detachable elevating legrests
MDS806150DLX	18" Permanent full-length arms, swing-away detachable footrests
MDS806200DLX	18" Permanent full-length arms, swing-away detachable elevating legrests
MDS806250DLX	18" Removable desk-length arms, swing-away detachable footrests
MDS806300DLX	18" Removable desk-length arms, swing-away detachable elevating legrests
COLOR: Black	

The Most Features in Any Standard Wheelchair

Exclusively from Medline:
 Optional Quick Release
 Transport Wheel Accessory.



Quick release axles: push-button design allow tool-free removal of the wheels.

Scissor frame style: reduces weight up to 5 lbs over slide tube style frames.



Three axle positions: adjustable for Standard, Hemi and Transport chair.



on chairs.

Strong, Cast Aluminum Seat Cradles: not plastic as typically seen



Other Features

- Nylon upholstery is breathable and light weight.
- Threaded seat screw inserts reduce stripping from upholstery changes.
- Padded nylon armrests.

- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free.
- Mag-style composite wheels are extremely durable and easy to clean.
- Heavy-duty fork and welded fork stems minimize wobbling.

Our Most Popular Wheelchair



SPECIFICATIONS

Weight Capacity 300 lbs
Seat Width 18"
Seat Depth 16"

Warranty on Frame limited lifetime & Crossbar

& CI OSSBai

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket yes

Footplates composite

Dual Axle yes

HCPCS Code K0001, K0002

For full specifications see pages 22-23



EXCEL 2000

- Carbon steel frame with chip-resistant chrome plating.
- Powder-coated cross bars and clothing guard.
- Tough, embossed upholstery.
- Threaded seat screw inserts reduce stripping from upholstery changes.
- Padded armrests.
- Mag-style composite wheels are extremely durable and easy to clean.

- · Heavy-duty fork and welded fork stems minimize wobbling.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free, adding durability.
- Swing-away elevating legrest models feature padded calf pads.
- Elevating legrest models feature a notched, stainless steel ratchet bar to lock the legrests securely in place.

Item #	Description
MDS806100*	Permanent full-length arms, fixed footrests
MDS806150*	Permanent full-length arms, swing-away detachable footrests
MDS806200*	Permanent full-length arms, swing-away detachable elevating legrests
MDS806250*	Removable desk-length arms, swing-away detachable footrests
MDS806300*	Removable desk-length arms, swing-away detachable elevating legrests
MDS806100D	Permanent full-length arms, fixed footrests
MDS806150D	Permanent full-length arms, swing-away detachable footrests
MDS806200D	Permanent full-length arms, swing-away detachable elevating legrests
MDS806250D	Removable desk-length arms, swing-away detachable footrests
MDS806250DFLA	Removable full-length arms, swing-away detachable footrests
MDS806300D	Removable desk-length arms, swing-away detachable elevating legrests
MDS806300DFLA	Removable full-length arms, swing-away detachable elevating legrests
*To order, add the three letter color code designating color to the end of the item number. Navy—NVY; Ruby—RBY	



Better Fit For Smaller Users



SPECIFICATIONS

Weight Capacity 300 lbs
Seat Width 16"
Seat Depth 16"

Warranty on Frame limited lifetime

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket yes

Footplates composite

Dual Axle yes

HCPCS Code K0001, K0002

For full specifications see pages 22-23



EXCEL NARROW

- Carbon steel frame with chip-resistant chrome plating.
- Threaded seat screw inserts reduce stripping from upholstery changes.
- Padded and upholstered armrests.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free, adding durability.
- Mag-style composite wheels are extremely durable and easy to clean.
- Heavy-duty fork and welded fork stems minimize wobbling.
- Swing-away footrest and swing-away elevating legrest models feature quad-release mechanism.
- Elevating legrest models feature a notched, stainless steel ratchet bar to lock the legrests securely in place.

Ļ	Item #	Description
	MDS806150N	Permanent full-length arms, swing-away detachable footrests
ľ	MDS806200N	Permanent full-length arms, swing-away detachable elevating legrests
	MDS806250N	Removable desk-length arms, swing-away detachable footrests
	MDS806250NFLA	Removable full-length arms, swing-away detachable footrests
ľ	MDS806300N	Removable desk-length arms, swing-away detachable elevating legrests
	MDS806300NFLA	Removable full-length arms, swing-away detachable elevating legrests
	COLOR: Navy	
_		

Our Most Economical Wheelchair



SPECIFICATIONS

Weight Capacity 250 lbs Seat Width 16", 18" Seat Depth 16" Warranty on Frame 3 years & Crossbar Warranty on Upholstery 6 months Parts & Components Standard Chart Pocket Footplates composite Dual Axle yes **HCPCS** Code For full specifications see pages 22-23



EXCEL 1000

- Tough embossed upholstery.
- Threaded seat screw inserts reduce stripping from upholstery changes.
- Plastic armrests.

- Attractive diamond graphite powder-coated frame.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free.

Item #	Description
MDS806100NE	16" Permanent full-length arms, fixed footrests
MDS806150NE	16" Permanent full-length arms, swing-away detachable footrests
MDS806200NE	16" Permanent full-length arms, swing-away detachable elevating legrests
MDS806250NE	16" Removable desk-length arms, swing-away detachable footrests
MDS806300NE	16" Removable desk-length arms, swing-away detachable elevating legrests
MDS806100E	18" Permanent full-length arms, fixed footrests
MDS806150E	18" Permanent full-length arms, swing-away detachable footrests
MDS806200E	18" Permanent full-length arms, swing-away detachable elevating legrests
MDS806250E	18" Removable desk-length arms, swing-away detachable footrests
MDS806300E	18" Removable desk-length arms, swing-away detachable elevating legrests
Color: Black	

Highest Quality K4 With More Features



SPECIFICATIONS

Weight Capacity 300/350 lbs Seat Width 16", 18", 20", 22"

Seat Depth 16", 18"

Warranty on Frame limited lifetime

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket —

Footplates composite

Dual Axle yes

HCPCS Code K0004, K0007

For full specifications see pages 22-23



EXCEL K4

- Weighs 31.5 pounds (excluding foot riggings) (16", 18").
- Quick release axles allow tool-free removal of the wheels (16", 18").
- Swing-back arms with patent-pending push-button arm release.
- Height adjustable seat back (16"-18").
- · Cast aluminum seat cradles for durability.
- Carbon steel frame with chip-resistant chrome plating.

- Threaded seat screw inserts reduce stripping from upholstery changes.
- Padded and upholstered armrests and calf pads.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free.
- Elevating legrest models feature a notched, maintenancefree stainless steel ratchet bar.

Item #	Description
MDS806500N	16" Swing-back desk-length arms, swing-away detachable footrests, quick release axles
MDS806550N	16" Swing-back desk-length arms, swing-away detachable elevating legrests, quick release axles
MDS806500NFLA	16" Swing-back, removable full-length arms, swing-away detachable footrests, quick release axles
MDS806500NPLUS	5 16" MDS806500N including anti-tippers and desk length height adjustable arms, quick release axles
MDS806500	18" Swing-back desk-length arms, swing-away detachable footrests, quick release axles
MDS806550	18" Swing-back desk-length arms, swing-away detachable elevating legrests, quick release axles
MDS806500FLA	18" Swing-back, removable full-length arms, swing-away detachable footrests, quick release axles
MDS806550FLA	18" Swing-back, removable full-length arms, swing-away detachable elevating legrests, quick release axles
MDS806500PLUS	18" MDS806500 including anti-tippers and desk length height adjustable arms, quick release axles
MDS806550PLUS	18" MDS806550 including anti-tippers and desk length height adjustable arms, quick release axles
MDS806560	20" Swing-back desk-length arms, swing-away detachable footrests, K0007 reimbursement code
MDS806560FLA	20" Swing-back, removable full-length arms, swing-away detachable footrests
MDS806560PLUS	20" MDS806560 including anti-tippers and desk length height adjustable arms
MDS806565	20" Swing-back desk-length arms, swing-away detachable elevating legrests, K0007 reimbursement code
MDS806570	22" Swing-back desk-length arms, swing-away detachable footrests, K0007 reimbursement code
MDS806575	22" Swing-back desk-length arms, swing-away detachable elevating legrests, K0007 reimbursement code
COLOR: Black	

Leader in the Lightweight Category

SPECIFICATIONS

Weight Capacity 300 lbs
Seat Width 16", 18"
Seat Depth 16"

Warranty on Frame limited lifetime

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket —

Footplates aluminum

Dual Axle yes
HCPCS Code K0003

For full specifications see pages 22-23



EXCEL K3

- Weighs 35 pounds (excluding foot riggings).
- Carbon steel frame with chip-resistant chrome plating.
- Tough nylon upholstery.
- Threaded seat screw inserts reduce stripping from upholstery changes.
- Padded and upholstered armrests and calf pads are standard.

- Heel loops on swing-away detachable footrest models.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free, adding durability.
- Durable, easy to clean composite handrims.
- Elevating legrest models feature a notched, maintenance-free stainless steel ratchet bar.

Item #	Description
MDS806600N	16" Removal

MDS806600N	16" Removable desk-length arms, swing-away detachable footrests
MDS806650N	16" Removable desk-length arms, swing-away detachable elevating legrests
MDS806600	18" Removable desk-length arms, swing-away detachable footrests
MDS806650	18" Removable desk-length arms, swing-away detachable elevating legrests
MDS806600FLA	18" Removable full-length arms, swing-away detachable footrests
MDS806650FLA	18" Removable full-length arms, swing-away detachable elevating legrests
Color: Black	

Offers More Width for More Comfort



SPECIFICATIONS

 Weight Capacity
 300/350/450 lbs

 Seat Width
 20", 22", 24"

Seat Depth 16", 18"

Warranty on Frame

limited lifetime

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket yes

Footplates aluminum

Dual Axle yes

HCPCS Code K0001/K0006/K0007

For full specifications see pages 22-23



EXCEL EXTRA-WIDE

- Carbon steel frame with chip-resistant chrome plating.
- Threaded seat screw inserts minimize stripping from upholstery changes.
- Elevating legrest models feature a notched, stainless steel ratchet bar to lock the legrests securely in place.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free.
- Padded and upholstered armrests.

- Mag-style composite wheels are extremely durable and easy to clean.
- Heavy-duty fork and welded fork stems prevent wobbling.
- Offset journals for a more stable ride.
- Swing-away footrest and swing-away elevating legrest models feature quad-release mechanism.

Item #	Description
MDS806400 (Black)	20" wide, removable desk-length arms, swing-away detachable footrests, 300 lb. wt. capcty.
MDS806450 (Black)	20" wide, removable desk-length arms, swing-away detachable elevating legrests, 300 lb. wt. capcty.
MDS806700	20" wide, removable desk-length arms, swing-away detachable footrests, 350 lb. wt. capcty.
MDS806750	20" wide, removable desk-length arms, swing-away detachable elevating legrests, 350 lb. wt. capcty.
MDS806700FLA	20" wide, removable full-length arms, swing-away detachable footrests, 350 lb. wt. capcty.
MDS806750FLA	20" wide, removable full-length arms, swing-away detachable elevating legrests, 350 lb. wt. capcty.
MDS806800	22" wide, removable desk-length arms, swing-away detachable footrests, 350 lb. wt. capcty.
MDS806850	22" wide, removable desk-length arms, swing-away detachable elevating legrests, 350 lb. wt. capcty.
MDS806800FLA	22" wide, removable full-length arms, swing-away detachable footrests, 350 lb. wt. capcty.
MDS806850FLA	22" wide, removable full-length arms, swing-away detachable elevating legrests, 350 lb. wt. capcty.
MDS806900	24" wide, removable desk-length arms, swing-away detachable footrests, 450 lb. wt. capcty.
MDS806950	24" wide, removable desk-length arms, swing-away detachable elevating legrests, 450 lb. wt. capcty.
Color: Navy	

One of the Strongest Bariatric Wheelchairs

SPECIFICATIONS

Weight Capacity 600/700 lbs

Seat Width 24", 26", 28", 30"

Seat Depth 18", 20"

Warranty on Frame & Crossbar

Warranty on Upholstery Parts & Components

Standard Chart Pocket —

Footplates aluminum

For full specifications see pages 22-23

yes

K0007

Dual Axle

HCPCS Code



EXCEL SHUTTLE

- Double cross-brace for maximum support and durability.
- Lifetime guarantee on sturdy stainless steel frame and crossbar.
- Black nylon upholstery rated at 300 pounds per square inch, is color-fast and stain-resistant.
- Polypropylene mesh liner supports additional weight.
- Removable padded armrests and legrests provide extra comfort and make exiting easy.
- 26", 28" and 30" are hemi height adjustable.

Item #	Description
MDS809600	24" wide, removable desk-length arms, swing-away detachable footrests, hemi-height adj.
MDS809650	24" wide, removable desk-length arms, swing-away detachable elevating legrests, hemi-height adj.
MDS809700	26" wide, removable desk-length arms, swing-away detachable footrests, hemi-height adj.
MDS809750	26" wide, removable desk-length arms, swing-away detachable elevating legrests, hemi-height adj.
MDS809800	28" wide, removable desk-length arms, swing-away detachable footrests, hemi-height adj.
MDS809850	28" wide, removable desk-length arms, swing-away detachable elevating legrests, hemi-height adj.
MDS809585	30" wide, removable desk-length arms, swing-away detachable elevating legrests, hemi-height adj.
Color: Black	

The Standard in Transport Wheelchairs



SPECIFICATIONS

Weight Capacity 300 lbs

Seat Width 17", 19"

Seat Depth 16"

Warranty on Frame & Crossbar

Warranty on Upholstery Parts & Components

Characteric Charat Parket

Standard Chart Pocket —

Footplates aluminum

Dual Axle — HCPCS Code E1031

For full specifications see pages 22-23



EXCEL TRANSPORT

- Ideal wheelchair for airports, shopping malls or other public places that require economical transport.
- Durable and lightweight nylon upholstery.
- Padded armrests.
- Carbon steel frame with chip-resistant chrome plating.

Description

- Seatbelt for safety.
- Rear handles fold down for easy storage or transportation.
- Black composite wheels require virtually no maintenance and incorporate dual-sealed precision bearings.

nem#	Description
MDS808150	17" wide, permanent full-length arms, swing-away detachable footrests.
MDS808200	19" wide, permanent full-length arms, swing-away detachable footrests.
Color: Black	

12½" Wheels Provide a More Stable Ride

S P E C I F I C A T I O N S

Weight Capacity
Seat Width

Seat Depth 16"

Warranty on Frame

limited lifetime

300 lbs

17"

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket —

Footplates composite

Dual Axle — HCPCS Code —

For full specifications see pages 22-23



EXCEL DELUXE ALUMINUM TRANSPORT

- Weighs 23.5 lbs!
- 12 1/2" rear wheels provide a more stable ride.
- Loop brakes for assistance.
- Patient operated wheel locks.
- Powder coated aluminum frame is lightweight and durable.
- Durable and lightweight nylon upholstery.

- Padded armrests.
- Rear handles fold down for easy storage or transportation.
- Seatbelt for safety.
- Black composite wheels require virtually no maintenance and incorporate dual-sealed precision bearings.
- Available in red or blue.

Item # Description

MDS808210AR 18" wide, permanent full-length arms, swing-away detachable footrests, Red

MDS808210AB 18" wide, permanent full-length arms, swing-away detachable footrests, Blue

Color: Black upholstery

For the Most Active Wheelchair User



SPECIFICATIONS

Weight Capacity 300 lbs Seat Width 19" Seat Depth 16"

Warranty on Frame & Crossbar

limited lifetime

Warranty on Upholstery 6 months Parts & Components

Standard Chart Pocket

Footplates composite

Dual Axle **HCPCS** Code

For full specifications see pages 22-23



EXCEL ALUMINUM TRANSPORT

- Weighs 19 lbs!
- Powder coated aluminum frame is lightweight and durable.
- Durable and lightweight nylon upholstery.
- Padded armrests.

- Rear handles fold down for easy storage or transportation.
- Seatbelt for safety.
- Black composite wheels require virtually no maintenance and incorporate dual-sealed precision bearings.
- Available in red or blue.

Item # Description

19" wide, permanent full-length arms, swing-away detachable footrests, Red MDS808200AR

19" wide, permanent full-length arms, swing-away detachable footrests, Blue MDS808200AB

Color: Black upholstery

Excel Quality in a Pediatric Chair



SPECIFICATIONS

Weight Capacity 250 lbs
Seat Width 12", 14"
Seat Depth 12"

Warranty on Frame limited lifetime

& Crossbar

Warranty on Upholstery 6 months

Parts & Components

Standard Chart Pocket —

Footplates composite

Dual Axle yes
HCPCS Code K0001

For full specifications see pages 22-23



EXCEL PEDIATRIC

- Tough nylon upholstery*
- Swing-back arms with patent-pending arm release.
- Cast aluminum seat cradles (instead of plastic) for durability.
- Standard dual axle allows for easy adjustment of seat height to hemi level.
- Threaded seat screw inserts reduce stripping from upholstery changes.

- Padded and upholstered armrests are standard features.
- Sealed bearings in fork housing, rear wheels and front wheels keep dirt out and are maintenance free.

*Call your Medline rep for custom upholsteries.

Item # Description

MDS806120PED 12" Swing-back desk-length arms, swing-away detachable footrests

MDS806140PED 14" Swing-back desk-length arms, swing-away detachable footrests

Color: Black

Pending 510K Approval

Adds Comfort and Convenience



SPECIFICATIONS

Weight Capacity 300 lbs Seat Width 16", 18", 20" 17.5" Seat Depth Warranty on Frame limited lifetime & Crossbar Warranty on Upholstery 6 months Parts & Components Standard Chart Pocket Footplates composite Dual Axle yes **HCPCS** Code

For full specifications see pages 22-23



EXCEL RECLINER

- Dynamic recline range from 90° to 160°.
- Full back and head support is provided by 22" high back and 10" removable headrest. Seat is 18"W x 17"D.
- Carbon steel frame with chip-resistant chrome plating.
- 16" and 18" feature dual axle that allows for easy adjustment of seat height to hemi level.
- Urethane rear tires offer superior performance.
- Low-maintenance, dual sealed Medline precision bearings.
- Patient operated wheel locks.
- Threaded seat screw inserts reduce stripping from upholstery changes.

Item #	Description
MDS808350	16" Reclining wheelchair, removable desk-length arms, swing away elevating legrests with anti-tippers
MDS808450	18" Reclining wheelchair, removable desk-length arms, swing away elevating legrests with anti-tippers
MDS808550	20" Reclining wheelchair, removable desk-length arms, swing away elevating legrests with anti-tippers
Color: Black	





MDTSZE1816

The Saddle™ Cushion Promotes Proper Leg Alignment

This zero elevation cushion reduces hip rotation and pelvic obliquity. Contoured leg adductors and abductor increase overall seating surface area, helping to redistribute weight and reduce pressure.

Saddle Gel Cushion with New, Improved Quadra 3D™ Gel Pack

A supple polyurethane bladder conforms to the user's body, providing even greater pressure relief.

HCPCS Code: E2607

Item #	Description	Pkg
MDTSZE1616	16" x 16"	each
MDTSZE1618	16" x 18"	each
MDTSZE1816	18" x 16"	each
MDTSZE2018	20" x 18"	each
MDTSZEG1616	16" x 16" Gel	each
MDTSZEG1618	16" x 18" Gel	each
MDTSZEG1816	18" x 16" Gel	each
MDTSZEG2018	20" x 18" Gel	each



Air Cell Cushions Offer Superb **Pressure Relief**

These therapeutic cushions provide ultimate care to fragile tissue. Individual cells adjust to each patient's body contours, flexing in multiple directions and decreasing body weight per unit area of the cushion. The decreased pressure allows an increased supply of blood necessary for healthy tissue maintenance and repair. Made of flameretardant, latex-free neoprene rubber, cushion comes with a washable all-way stretch cover and hand pump for inflation. Choose from two heights for individualized needs.

HCPCS Code: K0108

Item #	Description	<u>Pkg</u>
High Contour	4" - For Maximum	Support
MSC1S1515	16" x 16"	each
MSC1S1715	18" x 16"	each
MSC1S1717	18" x 18"	each
MSC1S1917	20" x 18"	each
Short Contour	2" - For Active Patie	nts
MSC1S1515L	16" x 16"	each
MSC1S1715L	18" x 16"	each
MSC1S1717L	18" x 18"	each
MSC1S1917L	20" x 18"	each

The Support Pro Has a Rounded Bottom to Reduce Wheelchair "Hammock" Effect

Add comfort and support to any wheelchair with the Support Pro cushion. The polyurethane cover is waterproof, easy-to-clean, and designed for pressure reduction. Comfort features include twodensity HR foam, a waterfall front, coccyx cutout and a tapered, zero elevation design.

HCPCS Code: E2601

<u>Item #</u>	Description	<u>Pkg</u>
MDTSPZEC1616	16" x 16"	each
MDTSPZEC1618	16" x 18"	each
MDTSPZEC1816	18" x 16"	each
MDTSPZEC2018	20" x 18"	each



MAXX Cushion

Contoured leg abductors and abductor promote proper positioning while increasing total seating surface area. The increased seating surface area maximizes weight dispersion providing exceptional pressure reduction

- Four densities of HR foam are used in construction
- Utilizes a recessed, high viscosity, three dimensional, Twin-Gel pack that protects a patient's ischial and coccyx area

HCPCS Code: E2607

<u>Item #</u>	Description	<u>Pkg</u>
MSCMAX1616	16" x 16"	each
MSCMAX1618	16" x 18"	each
MSCMAX1818	18" x 18"	each
MSCMAX2016	20" x 16"	each



WHEELCHAIR CUSHIONS

Medline Contour Pro Cushion

Advanced contour design helps align hips and legs while reducing pressure. Two density high-resiliency foam with segmented gel pack features waterfall front. Shear X all-way stretch cover reduces skin shear and is antimicrobial and fluid proof.

ch
ch
ch
ch
ch ch



Medline Contour Basic Cushion Keeps Body Aligned, Reduces Pressure

These single-density foam cushions have a contoured design that aligns hips and legs while reducing pressure on any one area. ShearX all-way stretch cover reduces skin shear and is antimicrobial and fluid-proof. Works with sling or pan style chairs.

Item #	Description	<u>Pkg</u>
MSCCB1616	16" x 16"	each
MSCCB1816	18" x 16"	each
MSCCB1818	18" x 18"	each
MSCCB2016	20" x 16"	each



Medline Visco Form

The Visco Form uses three different foam layers including high resiliency foam and 4lb visco elastic memory foam. The base layer's dense foam provides structure and support preventing the user from bottoming out. Visco layer is sandwiched between the HR foam. When the user sits on this cushion the visco elastic foam molds to their exact anatomical contour. This provides both maximum seating surface area for reducing high pressure zones and substantial contour to properly position the user.

Item #	Description	Pkg
MSCVIS1616	16" x 16" x 4"	each
MSCVIS1816	18" x 16" x 4"	each
MSCVIS1818	18" x 18" x 4"	each
MSCVIS2016	20" x 16" x 4"	each



Medline's Nylex-Covered Gel/Foam Wheelchair Cushions Reduce Pressure

Designed for both comfort and function, Nylex-Covered Gel/Foam Wheelchair Cushions utilize a gel pack placed between two layers of resilient foam to stabilize wheelchair patients while reducing pressure. Full one-year warranty.

<u>Description</u>	<u>Pkg</u>
16" x 16" x 3"	each
18" x 16" x 3"	each
18" x 18" x 3"	each
20" x 16" x 3"	each
	18" x 16" x 3" 18" x 18" x 3"





Wheelchair Model	Weight Cap	Chart Pocket Crossbar	Warranty Frame & & Parts	Warranty Upholstery	Seat Width	Seat Depth	Footplates
Excel 1000	250	N	3 Years (Frame)	6 months	16", 18"	16"	Composite
Excel 2000	300	Y	Limited Lifetime	6 months	18"	16"	Composite
Excel 3000	300	N	Limited Lifetime	6 months	18"	16"	Composite
Excel Extra-Wide	300/350/450	Y	Limited Lifetime	6 months	20", 22", 24"	18"	Aluminum
Excel Narrow	300	Y	Limited Lifetime	6 months	16"	16"	Composite
Excel K3	300	N	Limited Lifetime	6 months	16", 18"	16"	Composite
Excel K4	300/350	N	Limited Lifetime	6 months	16", 18", 20", 22"	16", 18"	Composite
Excel Transport	300	N	Limited Lifetime	6 months	17", 19"	16"	Aluminum
Excel Aluminum Transport	300	N	Limited Lifetime	6 months	19"	16"	Composite
Excel Deluxe Aluminum Transport	300	N	Limited Lifetime	6 months	18"	16"	Composite
Excel Reclining	250/300/350	N	Limited Lifetime	6 months	16", 18", 20"	17"	Composite
Excel Shuttle	600/700	N	Limited Lifetime	6 months	24", 26"	18"-20"	Aluminum
Excel Pediatric	250	N	Limited Lifetime	6 months	12", 14"	12"	Composite

Custom Chairs are Available – Contact Your Medline Representative Today

EXCEL SPECIFICATIONS

Dual Axle (Hemi Height Adjustable)	HCPCS Codes	Fixed Footrests Available	Swing- Away Footrests Available	Swing-Away Elevating Legrests Available	Full Length Arms Available	Removable Desk-length Arms Available	Height Adjustable Arms Available
Y	_	Y	Y	Y	Y	Y	Y
Y	K0001, K0002	Y	Y	Y	Y	Y	Y
3 Axles	K0001, K0002	N	Y	Y	Y	Y	Y
***	K0001, K0007	N	Y	Y	Y	Y	Y
Y	K0001, K0002	N	Y	Y	Y	Y	Y
Y	K0003	N	Y	Y	Y	Y	Y
Y	K0004, K0007	N	Y	Y	Y	Y	Y
N	E1031	N	Y	N	Y	N	N
N	-	N	Y	N	Y	N	N
Y	K0001, K0002	N	Y	N	Y	N	N
Y	K0004, K0007	N	Y	Y	Y	Y	Y
N	K0008	N	Y	Y	Y	Y	N
Y	K0001	N	Y	N	N	Y	N

^{***300} lb. weight capacity features Dual Axle

WHEELCHAIR ACCESSORIES

WHEELCHAIR ACCESSORIES

The accessories shown below will fit on all Excel 18" wheelchairs. All are backed by a three-year warranty.



Overhead Anti-Theft Device (MDS85197A)



Telescoping I.V. Pole



(MDS85183)



Amputee Attachment for Standard Exæl (MDS807AMK1)



Articulating Legrest for Hemi-Legrests (WCA806985ART)



Amputee Attachment for Excel XW (MDS807AMXW



Brake Handle Extension (MDS85157PR)



Anti-Fold/Anti-Theft Device 16"-22" (MDS85196)



Flat-Free Pneumatic Type Tire for Standard Excel (WCA806947P)



Pneumatic front Caster for Standard Excel (WCA806930P)



Tinnerman Nut, pair (WCA806991)



Anti-Tip Device — pair (MDS85189WK4)



Oxygen Tank Holder (MDS85181)



Ht. Adj. Removable Full-Length Arms for Standard Excel (WCA806967)

Ht. Adj. Removable Desk-Length Arms for Standard Excel (not shown) (WCA806966)



Amputee Attachment for K4 Excel (MDS807AMK4)



(MDS85HDREST)

**Chairs with these options can be made through the custom wheelchair program.


One Arm Drive (MDSK41RMDRIVE)



IV/Oxygen Tank Holder Combination (MDS85190)



Ht. Adj. Removable Full-Length Arms For K4 (WCA806963K4)





Amputee Attachment for K1 and K3 (MDS807AMPK1)



Wheelchair Headrest

1-800-MEDLINE | www.medline.com