




5 Reasons to Buy Your DME Products from Medline.

1. NEW Bariatric Products

Our Fastest Growing Product Line Introducing...Durable Dan. Our symbol of strength. Look for him throughout this catalog marking products with larger weight capacities.



2. Merchandising Program

Retail Planograms and attractively retail packaged products. Look for the Retail Packaging logo for retail packaged products. See page 24 for more information.



3. HCPCS Coding

Coding for your reimbursement convenience.

4. HME Partnership Program

Medline's comprehensive program provides discounts and value-added benefits depending on the volume of annual business you do with Medline.



5. Factory Direct Program

Direct shipping from our factory to your door. By eliminating handling and ordering in bulk, you can cut costs and maximize profits!

MEDLINE





Table of Contents

MANA	
7	
Quality	
Guaranteed	
MEDLINE	
Thursday of the same of the sa	

Lifetime Warranty

Medline's Durable Medical Equipment is built to precise standards and carefully inspected prior to shipment. As an expression of our confidence in the materials and workmanship of our products, Medline's canes, crutches, walkers, transfer and bath benches, commodes, toilet safety rails, and bed frames are warranted for life to be free of defects in materials and workmanship for the original purchaser.

We're confident our Durable Medical Equipment will provide you with years of convenient, dependable service.

If you have questions about our products, call us at **1-800-MEDLINE**.

Canes	4-5
Reacher	4
Walkers	6-8
Walker Accessories	7
Rollators	8
Crutches	9
Elevated Toilet Seats	10
Bathtub Bars/Grab Bars	11
Toilet Safety Rails	11
Handheld Shower	11
Bath Benches	12
Transfer Benches	13
Commodes and Accessories	14
Split Spring Beds	15
Bedrails and Mattresses	16
Overbed Table	17
Bed Accessories	18
Trapeze Bar	18
I.V. Poles	18-19
Patient Lifts and Slings	20-23





500 lb. cpcty, Bariatric Quad Canes Feature a **Double-Plated Base for Extra Strength**

Adjustment Footprint

6" x 8"

 $8" \times 12"$

each

29" to 38"

29" to 38"

- 500 lb. weight capacity.
- All steel construction.

Base

Small

Large

- Double-plated base with extremely-strong welds.
- Solid brass, push button adjustment for extra stability.
- Handle height-adjusts in one-inch increments from 29" to 38"
- Secured with a locking ring for added safety.

Color

Black

Black

- Comfortable, black, PVC handgrip.
- Dual-Tubing insert for added strength and safety.

Durable Dan 500 lb weight capacity					
Packaging	Wt. Cpcty.	HCPCS E0105			

500 lbs.

Medline Safety-Lock, Push-Button, Aluminum, Retail **Quad Canes are Second to None**



- Attractive finishes resist marring and scratching.
- Push-button, adjustment mechanism with locking ring allows quick, secure fitting.
- Non-skid, rubber tips with metal inserts ensure a secure-grip and long-life.
- No assembly required.

<u>Item #</u>	<u>Base</u>	<u>Color</u>	<u>Adjustment</u>	Footprint	Pkg	Wt. Cpcty.	<u>HCPCS</u>
MDS86222W	Small	Black	30" to 39"	6" x 8"	2/cs	250 lbs.	E0100/E0105
MDS86222BRZ	Small	Bronze	30" to 39"	6" x 8"	2/cs	250 lbs.	E0100/E0105
MDS86222CHR	Small	Chrome	30" to 39"	6" x 8"	2/cs	250 lbs.	E0100/E0105
MDS86228	Large	Black	30" to 39"	8" x 12"	2/cs	250 lbs.	E0100/E0105
MDS86228BRZ	Large	Bronze	30" to 39"	8" x 12"	2/cs	250 lbs.	E0100/E0105
MDS86228CHR	Large	Chrome	30" to 39"	8" x 12"	2/cs	250 lbs.	E0100/E0105



E0105

MDS86228 series



MDS86435 Fashion Canes

Our Fashion Canes Add Style to the Common Cane

• Pre-Pack: Blue Ice, Green Ice, Tortoise, USA Flag, Shell, Flower

<u>Item #</u>	Description	Packaging	Wt. Cpcty.	HCPCS
MDS86435	Pre-Pack, Assorted 29" to 38"	6/cs	250 lbs.	E0100
	Blue Ice, Green Ice, Tortoise, USA Flag,			
	Shell, Flower			
MDS86435W	Deluxe, Maple Handle, Aluminum,	6/cs	250 lbs.	E0100
	Maple color 29" to 38"			

Our Ultra, Lightweight, Platinum Reacher Provides Greater Independence Retail

- (Ultra) lightweight with plastic jaw.
- Constructed of a durable, aluminum frame.
- · Retail Package.
- Ergonomically-designed handgrip.



<u>Item #</u>	Description	<u>Pkg</u>
MDS86031RCE	Platinum Reacher, 31"	6/cs



MDS86435W

Retail Cane Rack

- Holds a variety of canes (Quad, Offset, Hook, and Folding.)
- Peg-board for accessories and folding canes.
- Complete push-button assembly.
- Durable, marbleized, powder-coated finish.
- Medline Logo on top for retail presence.

<u>Item #</u>	Description	<u>Pkg</u>
MDS864000	Retail Cane Rack 18"x18"	each





500 lb. cpcty, Bariatric, Offset-Handle Cane has Solid Brass, Double Push-Button Adjustment for Extra Stability

- 500 lb. weight capacity.
- All steel construction.
- Solid brass, double push-button adjustment for extra stability.
- Handle height adjusts in one-inch increments from 29" to 38".
- · Secured with a locking ring for added safety.
- · Comfortable, black, PVC handgrip.
- Dual-Tubing insert for added strength and safety.

<u>Item #</u>	<u>Color</u>	<u>Adjustment</u>	<u>Packaging</u>	Wt. Cpcty.	HCPCS
MDS86420XW	Black	29" to 38"	each	500 lbs.	E0100



MDS86420XW



Our Adjustable Aluminum Canes are Sturdy, **Comfortable, and Made to Last, Plus They Come in Three Attractive Finishes**

- Contoured handles with foam handgrips provide a comfortable,
- Attractive finishes resist marring and scratching, while providing a non-institutional look.
- Handle height-adjusts in one-inch increments from 29" to 38".
- · Secured with a locking ring for added safety.

secure-grip, complete with convenient wrist strap.

<u>Item #</u>	Color	<u>Adjustment</u>	Packaging	Wt. Cpcty.	HCPCS
MDS86420	Black	29" to 38"	6/cs	250 lbs.	E0100
MDS86420BRZW	Bronze	29" to 38"	6/cs	250 lbs.	E0100
MDS86420CHRW	Chrome	29" to 38"	6/cs	250 lbs.	E0100
Standard Handle Aluminum Cane					
MDS86415	Black	29" to 38"	6/cs	250 lbs.	E0100
MDS86415CHR	Chrome	29" to 38"	6/cs	250 lbs.	E0100

Accessories for Standard and Quad Canes

<u>Item #</u>	Description	Pkg.	HCPCS
MDS86424W	½" Tips for Small Base Canes (Black)	2/bx, 6bx/cs	A4637
MDS86425W	5/" Tips for Large Base Canes (Black)	2/bx, 6bx/cs	A4637
MDS86426W	³ / ₄ " Standard Replacement Tips (Black)	2/bx, 6bx/cs	A4637
MDS86427W	4" Replacement Hand Grips (Black)	2/bx, 6bx/cs	A4636

Folding, Aluminum Cane has a **Comfort-Grip and Comes** with a Handy, Carry Bag

- Height adjusts from 33" to 37" in 1-inch increments.
- Comfortable, contour grip.
- · Anodized, aluminum shaft.
- Folds to 11".
- Comes w/drawstring carry bag.
- Locks into place.



Wt. Cpcty. **HCPCS** Item # Color <u>Pkg</u> MDS86430W Folding Cane, Black 6/cs

Wood Canes Offer a Durable, Economical Choice in Patient Assistance

- Available in natural or walnut finish.
- Rubber tip provides good traction.
- 36" long.



MDS80217


<u>Item #</u>	<u>Color</u>	<u>Base</u>	<u>Pkg</u>	Wt. Cpcty.	HCPCS
MDS80212	Natural	%"	6/cs	300 lbs.	E0100
MDS80217	Walnut	1"	6/cs	300 lbs.	E0100
MDS80212T	Black cane	tips %"	inner diam	eter	
MDS80217T	Black cane	tips 1"	inner diam	eter	



Convenience and Stability Combine to Create Very Dependable,







- Each side operates independently to allow easy movement through narrow spaces and greater stability when standing up.
- Front cross braces are located near top of walker to allow full stride.
- Sturdy 1" diameter aluminum tubing provides stability while remaining lightweight.
- Contoured, latex-free PVC handgrips for patient comfort.
- Folds to a slim 4½" for easy transportation and storage.
- Walker with wheels come with one pair of glide caps.
- 300 lb. weight capacity

MDS86410W4	MDS864104 MDS86410J4	• Easy-finge • Each throu • From strid • Sturce rema • Com • Folde • Walk • 300
		Width Width Inside Inside

		<u>Histae</u>	<u>Histae</u>	<u>Depui</u>		rieigiii			
		<u>Hand</u>	<u>Base</u>	Opened	<u>Depth</u>	<u>Adjustment</u>			
<u>Item #</u>	<u>Description</u>	<u>Grips</u>	<u>Legs</u>	At Base	<u>Folded</u>	Min./Max.	Wt. Cpcty.	<u>Pkg</u>	<u>HCPCS</u>
MDS864104	Two-Button Walker, Adult	18"	21"	16"	4"	32"-39"	300 lbs.	4/cs	E0135
MDS86410J4	Two-Button Walker, Junior	18"	21"	16"	4"	28"-32"	300 lbs.	4/cs	E0135
MDS86410JW4	Two-Button Walker, Junior w/3" wheels	18"	21"	16"	4"	30"-32"	300 lbs.	4/cs	E0135
MDS86410JW54	Two-Button Jr. Walker w/5" wheels	18"	21"	16"	4"	30"-32"	300 lbs.	4/cs	E0135
MDS86410W4	Two-Button Walker w/3" wheels	18"	21"	16"	4"	34"-38"	300 lbs.	4/cs	E0143
MDS86410W54	Two-Button Walker w/5" wheels	18"	21"	16"	4"	34"-38"	300 lbs.	4/cs	E0143

One-Button, Folding, Aluminum Walkers are Lightweight Yet Durable and Allow Quick, Convenient, One-Handed Folding

- Rugged, steel, cross bar provides excellent strength without interfering with patient stride.
- Contoured, foam handgrips maximize patient comfort.
- Deluxe, rubber tips provide excellent traction.
- Folds to a depth of 4" for convenient storage.

Our walkers have a lifetime warranty to be free from defects in materials and workmanship. All wear items (hand grips, tips, etc.) are warrantied for 6 months.




		Width Width							
		<u>Inside</u>	<u>Inside</u>	<u>Depth</u>		<u>Height</u>	Wt. Cpcty.	<u>Pkg</u>	<u>HCPCS</u>
<u>Item #</u>	<u>Description</u>	<u>Hand</u>	<u>Base</u>	Opened	Depth	Adjustment			
MDS86615	One-Button Walker, Aluminum	18"	21"	18"	4"	32"-36"	250 lbs.	2/cs	E0135
MDS86615BRZ	One-Button Walker, Bronze	18"	21"	18"	4"	32"-36"	250 lbs.	2/cs	E0135
MDS86617	One-Button Walker, Aluminum, Junior	18"	21"	17"	4"	28"-32"	250 lbs.	2/cs	E0135



Durable Dan 500 lb weight capacity

PCS

E0155



• Easy-to-use, push-button mechanisms may be operated by

fingers, palm, or side of hand.

• Each side operates independently to allow easy movement through narrow spaces and greater stability when standing up.

• Front cross-braces are located near top of walker to allow full stride.

• Sturdy, 1" diameter, aluminum tubing provides stability, while remaining lightweight.

· Contoured, handgrips for patient comfort.

• Folds to a slim 4½" for easy transportation and storage.

• Height adjusts from 30" to 43½" in one-inch increments

• 500 lb. weight capacity.

<u>Item #</u>	Description
MDS86410XW	Bariatric Walker
MDS86410XWW	Bariatric Walker with Dual 5" Wheels
MDS86615XW5	Bariatric Walker Wheels, Dual 5"

Width Width Inside Inside Depth

1113144	1115144	<u>Depui</u>		ricigiit			
<u>Hand</u>	<u>Base</u>	Opened	<u>Depth</u>	<u>Adjustment</u>			
<u>Grips</u>	<u>Legs</u>	At Base	Folded	Min./Max.	Wt. Cpcty.	<u>Pkg</u>	HCPC:
20½"	23"	19"	3½"	30"-40"	500 lbs.	each	E0148
20½"	23"	19"	31/2"	33"-42"	500 lbs.	each	E0149



Rigid Walker

- 18" between handgrips.
- Height adjusts in one-inch increments in height from 31" to 37½" from the floor.
- 250 lb. weight capacity.



Hemi Walker

• Folds to just 3" for easy storage.


500 lbs.

- Height-adjustable from 30"-35".
- Anodized aluminum frame.
- Deluxe rubber tips provide excellent traction.

1/pr

• 250 lb. weight capacity.

	MDS	86204			
Item # MDS86		<u>Description</u> Rigid Walker	<u>Wt. Cpcty.</u> 250 lbs.	Pkg 4/cs	HCPCS E0156



One and Two-Button Walker Accessories



Item #	Description	Pkg.	<u>HCPCS</u>					
MDS86615P	Platform Walker Attachment	each	E0154					
MDS86615K	Walker Basket	2/cs	E1399					
MDS86615W	3" Wheels, Set of Two★	2/set	E0155					
MDS86615SW	3" Swivel Wheels, Set of Two*	2/set	E0155					
MDS86615W5	5" Wheels, Set of Two*	2/set	E0155					
MDS86615SW5	5" Swivel Wheels, Set of Two*	2/set	E0155					
MDS86615XW5	Dual 5" Wheels, Set of Two*	2/set	E0155					
MDS86615W5W	5" Wheels, Set of Four*	4/set	E0155					
MDS86615WT	3" Wheels, 8 hole, 10", Set of Two*	2/set	E0155					
MDS86615W5T	5" Wheels, 8 hole, 10", Set of Two*	2/set	E0155					
MDS86615T	Replacement Tips For Walker, Set of Two	2/set	A4637					
MDS86615B	Glide Brakes For Walker, Set of Two	2/set	E0159					
MDS86615WB	Glide Brakes With Wheels, Set of Two	2/set	E0159/E0155					
MDS86615P	Platform Walker Attachment	each	E0154					
MDS86615K	Walker Basket (does not fit bariatric models)	2/cs	E1399					
MDS86615CW	Glide Cap	6pr/cs	E0158					
MDS86615E	Extension Legs 5 hole, 14½"	4/set	E0158					
MDS86615L	Replacement Legs 8 hole, 10"	2/set	E0158					
* Also includes 1 pair of glide caps								





Our Deluxe Rollator Offers A Padded Seat and Backrest for Added Comfort



- 32" from floor to middle of hand grip in lowest position. 36" from floor to middle of hand grip in highest position.
- 6 height-adjustment holes, each are 1" apart.
- 14" x 14" padded seat.
- 22" seat height.
- Folded dimension 12".
- Basket dimensions 14" x 9" x 6".
- PVC Handgrips with pull-to-stop/push-to-lock brakes.
- Unit length when opened overall width 24".
 Unit length when opened overall length 22".
- Total weight equipped with basket is 16lbs.
- 6" non-marking indoor/outdoor wheels.
- · Also available in Hunter Green, Royal Blue and Black.
- 250 lb. weight capacity.

		Width	<u> Depth/Widt</u>	<u>h Height</u>				
<u>Item #</u>	<u>Description</u>	<u>Open</u>	<u>Folded</u>	Min./Max.	Wheels	Wt. Cpcty.	Pkg	HCPCS
MDS86800	Deluxe, 250 lb. weight capacity,	24"	14"	33"-36"	5"	250 lbs.	each	E0156
	loop brakes, Burgundy							E0143
MDS86800G	Same as above, Hunter Green							
MDS86800B	Same as above, Royal Blue							



MDS86800BLK Same as above, Black

MDS86800BSK Basket with Handle



latexfree •

- Fully padded seat (14" x 13") with pouch and padded backrest for total comfort while sitting after a long walk.
- Lightweight aluminum frame weighs only 17 lbs.
- Large 8" wheels give you confidence on all terrains.

MDS86800BRK Brake System with Handle, Grips and Hardware

- Wheel brakes lock for safety by either pushing down or pulling up for safety while sitting or standing.
- Height adjustable handles adjust from 33" to 38".
- Retail packaged with call outs
- Large 15"x19" basket underneath seat
- 250 lb. weight capacity.



Item #DescriptionMin./Max.WheelsWt. Cpcty.PkgMDS86825The Rollator, retail packaged33"-36"8"250 lbs.each



Our Push-Button, Aluminum Crutches are One of the Strongest Crutches on the Market



<u>Item #</u>	<u>Description</u>	Patient Heigh	t Adj. Range	Wt Cpcty	<u>Pkg</u>	HCPCS
Regular						
MDS80334	Tall Adult	5'10" - 6'6"	52½" - 60½"	250 lbs.	8 pr/cs	E0114
MDS80334HW	Tall Adult	5'10" - 6'6"	52½" - 60½"	250 lbs.	1 pr/cs	E0114
MDS80335	Medium Adult	5'2" - 5'10"	44½" - 52½"	250 lbs.	8 pr/cs	E0114
MDS80335HW	Medium Adult	5'2" - 5'10"	44½" - 52½"	250 lbs.	1 pr/cs	E0114
MDS80336	Youth	4'6" - 5'2"	36½" – 44½"	250 lbs.	8 pr/cs	E0114
MDS80336HW	Youth	4'6" - 5'2"	36½" – 44½"	250 lbs.	1 pr/cs	E0114
MDS80337Z	Child	4'2" - 4'6"	31" - 37"	250 lbs.	2 pr/cs	E0114
Bariatric						
MDS80334XW	Tall Adult	5'10" - 6'6"	54" - 62"	650 lbs.	1 pr/cs	E0114
MDS80335XW	Adult	5'1" - 5'9"	46" - 54"	650 lbs.	1 pr/cs	E0114
Item #	<u>Description</u>			<u>Pkg</u>		HCPCS
Push-Button Alu	ıminum Crutch A	Accessories				
MDS80265W	Crutch Tips, Gr	ay - Super (Ext	ra-Large)	2/bx, 6bx/c	S	A4637
MDS80266RW	Crutch Tips, Gr	ay		2/bx, 6bx/c	S	A4637
MDS80267W	Crutch Undera	rm Pad, Foam,C	Gray	2/bx, 6bx/c	S	A4635
MDS80268W	Crutch Hand G	Frip, Gray		2/bx, 6bx/c	S	A4636
MDS80269	Crutch Kit, Gra	Crutch Kit, Gray - latexfree			A46	635, 36, 37
		PRODUCT				

Free instructional video tape with order*

- Our push-button crutches are lighter than wooden models thanks to their aluminum construction.
- Double-extruded, center tube provides load-bearing strength where it is needed the most.
- Special footpiece utilizes durable rivets to secure the aluminum tubing from the inside, providing more stability than plastic connectors.
- Patented, I-beam, center post limits footpiece rotation to a ¼ turn, always keeping the push-button in view and facilitating easy adjustment.
- Long, virtually unbreakable stair deflector helps protect against the crutch slipping on stairs. It helps increase stress tolerance at all angles without cracking.
- Non-skid, rubber tips provide good traction. Built-in, metal ring helps prevent excessive wear and ensures maximum durability.
- Packaged completely accessorized, no assembly required.

High-Strength, Aluminum, Forearm Crutches are Built to Withstand the Toughest Use



- Vinyl-coated, tapered, contoured arm, cuffs mold to user for extra comfort.
- Pivoting cuff bracket is secured to a composite post for added durability.
- Comfortable, contoured, vinyl handgrips provide long wear.
- Leg and forearm sections adjust independently for a custom fit.
- All telescoping parts are manufactured with internal bushings and external lock nuts to provide silent usage.
- Recommended for long-term disability.
- All wear items (arm pads, hand grips and tips) are warrantied for 6 months.

<u>Item #</u>	<u>Description</u>	Patient Height	<u>Pkg</u>	Wt. Cpcty.	HCPCS			
MDS805160	Tall Adult	5'10" to 6'6"	1/Pr	250 lbs.	E0110			
MDS805161	Adult	5'0" to 6'2"	1/Pr	250 lbs.	E0110			
MDS805162	Youth	4'2" to 5'2"	1/Pr	250 lbs.	E0110			
CNI600A	Bariatric (spe	ecial order)	1/Pr	600 lbs.	E0110			
MDS80516CF	Universal Re	Universal Replacement Forearm Cuff, 1 Pair						



MDS80516CF MDS805161



Locking, Raised Toilet Seats Help Prevent Shifting While Sitting or Transferring for Optimum Patient Safety and Comfort latex free



- Width adjustable, 2 position arms eliminate the need for toilet safety rails, making it easier for the patient.
- Front clamping mechanism ensures positive locking onto toilet. Helps prevent shifting of toilet seat while sitting or transferring.
- Fits most toilet bowls from 11½"-15" long.
- Wide, contoured surface provides maximum user comfort.
- Padded support arms offer user a secure hand support and maximum comfort when using toilet seat.
- Raises seat level by 5½".
- 300 lb. weight capacity.

		<u>Height</u>	<u>Seat</u>	<u>Seat</u>			
<u>Item #</u>	<u>Description</u>	Min./Max.	<u>Width</u>	<u>Depth</u>	Wt. Cpcty.	<u>Pkg.</u>	<u>HCPCS</u>
MDS80314	Raised Toilet Seat w/o Arms	5½"	161/8"	175/16"	300 lbs.	3/cs	E0244
MDS80316	Raised Toilet Seat with Arms	5½"	161/8"	175/16"	300 lbs.	3/cs	E0244

Universal Raised Toilet Seat Fits Securely Over Any Toilet latex

- Seat fits securely over any toilet bowl.
- Vinyl-covered brackets allow height adjustments from 4¾" to 6¾" above standard seat and prevent chipping or scratching of porcelain.
- Almond plastic seat and plastic splash guard make cleaning easy.
- 300 lb. weight capacity.



		<u>Height</u>	<u>Seat</u>	<u>Seat</u>			
<u>Item #</u>	<u>Description</u>	Min./Max.	<u>Width</u>	<u>Depth</u>	Wt. Cpcty.	<u>Pkg.</u>	<u>HCPCS</u>
MDS80315	Universal Raised Toilet Seat	4¾"-6¾"	15"	15½"	300 lbs.	each	E0244



Molded Plastic Raised Toilet Seat is Contoured for Patient Comfort

latexfree 6



- Contoured for patient comfort.
- Heavy-duty, white polyethylene seat provides excellent support.
- Raises seat level by 4½".
- 300 lb. weight capacity.

	Height	Seat	Seat			
<u>Item #</u> <u>Descrip</u>	otion Min./M	1ax. Width	Depth	Wt. Cpcty.	Pkg.	HCPCS
MDS80318RW Plastic	Raised Toilet Seat 4½"	15"	16"	300 lbs.	3/cs	E0244



Toilet Safety Rails Provide Retail Safe Assistance



- Width adjustable, 2 position arms
- Lightweight, anodized aluminum frame offers safe assistance.
- Waterfall armrests provide added patient comfort.
- Nylon-coated, steel bracket attaches unit securely to toilet.
- Rail legs raise off the floor for cleaning around toilet.
- Legs adjust 10".
- Solid brass push buttons



MI	DS	861	100)KI

Arm Height


<u>Item #</u>	Description	from Floor	<u>Depth</u>
MDS86100RF	Toilet Safety Rails	24"-29"	17½"
MDS86100BRT	Replacement Toilet Safety	Rail Bracket	

Between Arms	Wt. Cpcty.
17"-21"	250 lbs.

Pkg. 1 pr/cs **HCPCS** E0243

each

Sturdy Steel Bathtub Bars Assist Patients in Getting In or Out of the Tub




- Crank-style, locking device attaches to tub walls up to 7" wide.
- Unit is 6" wide and extends 14" above the tub wall.
- Equipped with rubber pads to protect tub walls.
- · Weighs 12 lbs.


MDS86321W

<u>Item #</u>	<u>Description</u>	<u>Height</u>	Length	<u>Bracket</u>	Wt. Cpcty.	Pkg.
MDS86321W	Bathtub Bar	14"	6"	Adjustment 2½"-6"	250 lbs.	2/cs

Handheld Shower Allows Users

to Sit During Showers • Equipped with a 60" hose






- No shut-off, pause only.
- No diverter valve.

MDS41000W

<u>Item #</u>	<u>Description</u>	Pkg.
MDS41000W	Handheld Shower, 5' hose	6/cs

Grab Bars are Easy to Grip and Help Reduce the Risk of Accidents and are ADA Compliant

- Rugged 1½" diameter, steel bars are easy to grip and help reduce the risk of accidents.
- Available in white, enamel-coated or knurled chrome-plated.
- Can be used horizontally or vertically.
- Complete with mounting hardware.











550 lb. cpcty, Bariatric Bath Bench Has a Dual Cross Brace for Extra Stability with Extremely Durable Welds

- 550 lb. weight capacity.
- Comfortable, blow-molded seat with integrated handles for additional support.
- Height adjustable from 14" to 18".
- Seat dimensions are 20"W x 12"D.
- Suction-cup feet secure bench in bathtub.
- Dual cross brace for extra stability with extremely durable welds.
- High-strength, aluminum frame to prevent rusting.
- Aircraft rivets will not loosen.
- Completely assembled.
- Weighs only 3 lbs.

<u>Item #</u>	<u>Description</u>	<u>Seat</u>	<u>Seat</u>	<u>Seat</u>	<u>Weight</u>	<u>Pkg.</u>	<u>HCPCS</u>
		<u>Height</u>	<u>Depth</u>	Width	<u>Capacity</u>		
MDS89740AXW	Bariatric Bath Bench w/o back	14"-18"	12"	20"	550 lbs.	1/ea	E0245
MDS89745AXW	Bariatric Bath Bench w/back	16½"-20½"	16"	17"	550 lbs.	1/ea	E0245

Bath Bench Features Suction Cup Feet, Increasing Patient Security

- Available in gray (retail package) or white (fully assembled).
- High-density, polyethylene seat and back. Seat is 20" wide and 13" deep for maximum patient comfort and stability.
- Durable, aluminum frame is corrosion resistant.
- Angled legs distribute weight over a large area to increase patient security.
- Suction-cup tips on all four legs provide extra-stability and safety.
- Seat height-adjusts in 1" increments ranging from 14½" to 19½".



MDS89740RW

<u>Item #</u>	Description	Seat	<u>Seat</u>	<u>Seat</u>	<u>Weight</u>	<u>Pkg.</u>	HCPCS
		<u>Height</u>	<u>Depth</u>	Width	<u>Capacity</u>		
MDS89740A	Without Back, Assembled, white	14½"-19½"	12"	20"	250 lbs.	2/cs	E0245
MDS89740RW	Without Back*, gray	14½"-19½"	12"	20"	250 lbs.	2/cs	E0245
MDS89745A	With Back, Assembled, white	14½"-19½"	12"	20"	250 lbs.	2/cs	E0245
MDS89745R	With Back*, gray	14½"-19½"	12"	20"	250 lbs.	2/cs	E0245
* Retail packaging	g requires assembly						



Retail

PACKAGING



- 300 lb., Bath Bench with and without Back and Removable Arms
 - Supports up to 300 lbs.
 - Easy assembly, no tools required.
 - Precise, height-adjustable legs adjust in one-inch increments.
 - Built-in, handheld, shower holder on each side of chair.
 - Optional, removable arms to help aid in patient balance.
 - Durable and rustproof all plastic construction.
 - Non-slip finish on seat.
 - Suction-cup feet.

<u>Item # Description</u>	<u>Seat</u>	<u>Seat</u>	Seat	Weight	Pkg.	<u>HCPCS</u>
·	<u>Height</u>	<u>Depth</u>	Width	<u>Capacity</u>		
MDS89750R Without Back, with Arms, white	17"-21½"	16"	20"	300 lbs.	2/cs	E0245
MDS89755R With Back with Arms, white	17"-21½"	15"	20"	300 lbs.	2/cs	E0245



Durable Dan 550 lb weight capacity



TOOL-FREE

<u>Transfer Bench with Aluminum Frame has an</u> <u>Extra-Wide Base for Additional Safety and Stability</u>

- Push-button assembly for arm and back.
- Durable, blow-molded, plastic bench.
- Wide base, and suction-cup tips on two legs in tub offer extra stability and safety.
- Direction of seat back can be reversed easily without tools.
- Anodized, aluminum frame adjusts in 1½" increments. for a seat height of 16½" to 21½" above the floor.
- Fits tubs 11" to 21¼" deep.
- 1" space in seat for shower curtain.

<u>Item #</u>	<u>Description</u>	<u>Seat</u>	<u>Seat</u>	<u>Seat</u>	<u>Overall</u>	Overall Width	Overall Depth	Wt. Cpcty.	<u>Pkg.</u>	<u>HCPCS</u>
		<u>Height</u>	<u>Depth</u>	Width	<u>Height</u>	At Base	At Base			
MDS86952	Transfer Bench	16½"-21½"	16½"	17"	34"-39"	29"	21½"	300 lbs.	2/cs	E0245
MDS86952XW	Transfer Bench	17"-21"	22¼"	32"	30"-34"	34½"	24½"	550 lbs.	each	E0245
	Bariatric, Plastic									

Deluxe-Padded Transfer Bench Provides Added Comfort

- Comfortable, 2" cushioned seat and back are covered in stain-resistant, white vinyl.
- Wide-base, and suction-cup tips on two legs in tub offer extra stability and safety.
- Direction of seat back can be reversed easily without tools.
- Anodized, aluminum frame adjusts in 1-inch increments for a seat. height of 16½" to 21½" above the floor.
- Fits tubs 11" to 211/4" deep.
- 300 lb. weight capacity.



<u>Item #</u>	<u>Description</u>	<u>Seat</u>	<u>Seat</u>	<u>Seat</u>	<u>Overall</u>	Overall Width	Overall Depth	Wt. Cpcty.	<u>Pkg.</u>	<u>HCPCS</u>
		<u>Height</u>	<u>Depth</u>	Width	<u>Height</u>	At Base	At Base			
MDS86945P	Deluxe, Padded	16½"-21½"	16½"	17"	34"-39"	29"	21½"	300 lbs.	2/cs	E0245
	Transfer Bench									



Plastic Transfer Bench has a Built-In Shower Head Holder and Soap Tray for Patient Convenience

MDS86945P



- Easy assembly, no tools required.
- Precise, height-adjustable legs adjust in one-inch increments.
- Built-in, handheld, shower holder.
- Optional, removable arm helps aid patient balance.
- Durable, rustproof, plastic construction.
- Integrated soap tray.
- Non-slip finish on seat.
- 350 lb. weight capacity.

<u>Item #</u>	<u>Description</u>	<u>Seat</u>	<u>Seat</u>	<u>Seat</u>	<u>Overall</u>	Overall Width	Overall Depth	Wt. Cpcty.	Pkg.	HCPCS
		<u>Height</u>	<u>Depth</u>	Width	<u>Height</u>	At Base	At Base			
MDS86960R	Plastic Transfer Bench	17"-22"	16"	17"	32"-36"	27½"	16½"	350 lbs.	2/cs	E0245
	w/Back & Arms									



Durable Dan 650 lb weight capacity



MDS89664A

Aluminum Commode is Lightweight and Durable

- High-strength, aluminum frame prevents rusting.
- Durable, plastic seat with lid.
- Plastic armrests for additional, patient comfort.
- Adjustable legs allow the seat to be raised or lowered in 1" increments to sit from 16" to 20".
- Includes 10-quart capacity, commode bucket with cover and splash shield.
- Non-skid, non-marring, rubber tips provide extra safety.
- 300 lb. weight capacity.

	<u>Base</u>	<u>Width</u>		<u>Seat</u>	<u>Seat</u>	<u>Height</u>			
<u>Base</u>	<u>Depth</u>	Between	<u>Seat</u>	<u>Depth</u>	<u>Height</u>	<u>Overall</u>	<u>Weight</u>		
Width	<u>Overall</u>	<u>Arms</u>	Width	<u>Overall</u>	Min./Max.	Min./Max.	<u>Capacity</u>	<u>Pkg.</u>	<u>HCPCS</u>
25½"	16½"	18½"	14"	15"	16"-20"	23"-27"	300 lbs.	4/cs	E0163

Deluxe, Steel Commodes Easily Convert for Use as a Commode, Raised Toilet Seat



Aluminum

or a Toilet Safety Frame

- Back rail removes quickly and easily.
- Features a durable, plastic seat with lid.
- Plastic armrests for additional patient comfort.
- Adjustable legs allow seat to be raised or lowered in 1" increments to sit from 16" to 22½" standard, 19½" to 23½" bariatric.
- Includes 10-quart capacity, commode bucket w/cover & splash shield.
- Non-skid, non-marring, rubber tips provide extra safety.

MDS89664		•	<u>Base</u>	<u>Width</u>		<u>Seat</u>	<u>Seat</u>	<u>Height</u>			
		<u>Base</u>	<u>Depth</u>	Between	<u>Seat</u>	<u>Depth</u>	<u>Height</u>	<u>Overall</u>	<u>Weight</u>		
<u>Item #</u>	<u>Description</u>	Width	<u>Overall</u>	<u>Arms</u>	Width	<u>Overall</u>	Min./Max.	Min./Max.	<u>Capacity</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS89664	Enamel, 4-in-1	24½"	18"	19"	14"	15"	16"-22½"	23½"-30"	300 lbs.	4/cs	E0163
MDS89664XW	Bariatric Commode	28"	20½"	24"	14"	15"	19½"-23½"	29½"-32½"	650 lbs.	each	E0168

MDS89668



- Angled front is comfortable for cast users.
- Single-handed, arm release.
- May be used over standard toilet.
- · Lowered arm supports weight during transfer.
- Chrome-plated, steel frame.
- Five-way pail removal.
- 12-quart pail w/cover included.

Durable Dan 850 lb weight capacity

		- 4	Dasc	<u>vv icitii</u>		Scat	Scat	1 ICIGIIL			
		<u>Base</u>	<u>Depth</u>	Between	<u>Seat</u>	<u>Depth</u>	<u>Height</u>	<u>Overall</u>	<u>Weight</u>		
<u>Item #</u>	<u>Description</u>	Width	<u>Overall</u>	<u>Arms</u>	<u>Width</u>	<u>Overall</u>	Min./Max.	Min./Max.	<u>Capacity</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS89668	Drop Arm Steel	201/4"	20½"	17½"	14"	15"	17"-21"	28¾"-33¼"	250 lbs.	each	E0165
MDS89668XW	Bariatric Commode	25"	19"	24"	23"	18"	19¼"-23¼"	25½"-30½"	850 lbs.	each	E0168

Width

Universal Fit Commode Bucket

- Constructed of high-impact, white polyethylene.
- Universal Fits all Medline commodes.
- Complete with handle and lid.
- Diameter of bucket is 11".
- 12-quart/ 2-gallon capacity.



Commode Accessories

<u>Item #</u>	Description	Pkg.
MDS89664SL	Seat & lid for MDS89664	4 sets/cs
MDS89664SLXW	Seat & lid for MDS89664XW	1 set
MDS89664T	Set of four tips for MDS89664	4 tips/set
	& MDS89664XW	
MDS89664SGC	Set of four splash guards	4 splash guards/set

Lloight





- 11-gauge, low-alloy, cold-rolled, welded, steel frame is processed on a computer-controlled metal forming line for increased strength, less weight, and consistently high-quality.
- Frame is painted with three coats of enamel and clear-coated to provide a strong finish that is chip and scratch resistant.
- Head and foot sections interlock with strong, dependable jaw and rivet connections. Sections overlap 6½" at this critical stress point, for added strength.
- Extra steel plate welded to frame
- Frame has lifetime warranty. One-year warranty for electrical parts.
- Only Serenity has U.L. medical equipment listing for entire bed.

- High-quality, 1/10 hp, U.L. listed motors with modular plugs, hospital-grade, three-prong plug, and fully-enclosed metal, junction box on U.L. 544 listed electric beds, help ensure patient and caregiver safety.
- Plug-in style junction box for easy replacement of motors and pendant
- Electric beds have covers over motor actuator to protect from dust and moisture.
- Extremely-reliable, self-leveling, bed-end, lift mechanism, with high-efficiency, variable force clutch (VFC), lifts more weight easily.VFC clutch adjusts more easily when leveling without loads.
- Hole-at-center, foot and head to accommodate I.V. pole.
- Walnut, woodgrain laminate, bed-end panels are attractive and easy to service.
- Bed ends are interchangeable with those of other major brands.
- Smooth-rolling, 3" casters make bed easy to move. Two casters have top-activated brakes to lock in place.
- Hinges placed inside frame to significantly reduce chance of pinching and provide increased safety.
- 500 lb. weight capacity.

Bed Dimensions	Overall	<u>Overall</u>	Spring Deck	Spring Deck	<u>Head Section</u>	Knee Section
	Length	<u>Bed Width</u>	Width	Height	<u>Adjust</u>	Adjust
	89"	35¾"	34½"	14½"-22½"	75°	30°

Bed Only Item #(HCPCS)DescriptionMDR 107000(E0293)Manual, Three Crank BedMDR 107002(E0295)Semi-Electric, Two Motor, One Crank BedMDR 107003(E0297)Full Electric, Three Motor Bed

<u>Item #</u> <u>Description</u>

MDR610EXT 4" Bed Extension Kit

- No tools needed for assembly.
- Compatible with most major manufacturers.

- > We have eliminated a box! <
 > Our beds ship in only <
 two new, stronger boxes.
- Retains 500 lb. capacity (on Medline Beds).
- Increase bed length from 80" to 84".




Safety Siderails and Halfrails* Require **No Tools for Mounting**

- Space between bars is under 3".
- Meets new regulations requiring less than 4" spacing between
- MDS89694 adjusts in length from 48" to 72".
- Fit most split-spring beds.
- No tools necessary for mounting.

<u>Item #</u>	<u>Description</u>	Pkg.	HCPCS
MDS89694	Telescoping 4-Bar Siderail	Pair	E0310
MDS89697	Small Gap Clamp-On Halfrail	Pair	E0305





Telescoping, 3-Bar Siderail* is Spring-loaded for Quick Installation and Removal

- Constructed of chrome-plated, carbon steel for strength and durability. • Accommodates beds ranging in width from 30" to 37".
- MDS89690 adjusts in length from 51" to 75".
- Siderails are 41" wide when mounted on bed.
- Spring-loaded crossbars are quick to install and remove.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS89690	Telescoping 3-Bar Siderail	Pair	E0310

* Patient entrapment from the use of bed siderails may result in serious injury or death. Use only with coherent patients capable of avoiding entrapment. For at risk patients, use only with appropriate bed siderail protective barriers. Bed siderails are not restraining devices. If restraint is essential, use only proper protective restraints. Monitor patient frequently.

Our Home Care Mattresses Feature an Antimicrobial Ticking

- Constructed with durable 8 oz vinyl.
- Inverted, side seams.
- Antimicrobial ticking.
- 2-year warranty.
- · Safety mattress fits snug. between rails and ends of bed, to meet new state guidelines where applicable.



<u>Item #</u>	Description	Wt. Cpcty.	Pkg.	<u>HCPCS</u>
MDR230980B*	Mattress, 35"x80"x8" w/vinyl cover	285 lbs.	each	E0271
MDR230981	Foam Mattress, 36"x80"x6" w/vinyl cover	350 lbs.	each	E0272
MDR230982	Premium Mattress, 35"x80"x8" w/vinyl cover	400 lbs.	each	E0271
MDT230BAR	Bariatric Mattress	600 lbs.	each	E1399
MDS237827	Safety Mattress, 37"x82"x7" w/vinyl cover	250 lbs.	each	E0310
*stocked to ship	with bed			



Composite-Top, Overbed Table

- Easy to keep clean.
- Impervious to moisture.
- Won't crack or peel like wood tables over time leading to sharp edges and a potential breeding ground for bacteria.
- One-hand adjustable from 30"-47".
- 30"x15" molded composite top.
- Two locking and two standard casters.
- Durable, chrome base.
- Holds up to 50 lbs.

<u>Item #</u>	Description	Pkg.	HCPCS
MDS107015	Overbed Table	each	E0274





Medline Tilt-Top Overbed Table

- Three-Position Tilt with squeeze of the handle
- 30"x15" top with walnut wood grain melamine laminate with a flush-mounted T-mold edge features raised edge to hold books and papers in place.
- Infinitely height adjustable from 28"-45"
- Separate tilt and raise/lower handles allow for safe and independent operation of table functions.
- Two locking and two standard casters.
- Chrome-plated column and base.
- Holds up to 50 lbs.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	HCPCS
MDS104950	Walnut	each	E0274

Medline Standard Overbed Table

- 30"x15" top with walnut wood grain melamine laminate with a flush-mounted T-mold edge.
- Automatic spring lift mechanism adjust height from 28"-45".
- Two locking and two standard casters.
- Chrome-plated column and base.
- Holds up to 50 lbs.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS104015	Walnut	each	E0274







Tray Caddy helps save nursing time.

- Provides access to accessories such as telephone, tv/bed control, notepad, tissues, etc. without relying on reaching for the nightstand.
- Easy to remove or adjust by staff if access to bed is necessary.
- Relieve your staff of the constant calls for assistance plagued by most health care facilities.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>
MDR1610TC	Tray Caddy, 16"x10"	each

Bed Bar® aids getting in and out of bed.

- Easy to install and remove.
- Ideal for those in surgery recovery, back pain, broken bones, arthritis

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>
MDR1200H	Bed Bar for hospital-style beds	each
MDR1200C	Bed Bar for angle iron siderails	each
MDR1200B	Bed Bar for wooden siderails	each





Foldable I.V. Stand is ideal for Home Care

- 5 wheel base ensures stability.
- Ram's horn-style hooks hold solution containers and other items securely.
- Accommodates two pumps up to 14 lbs. each and two 3-liter bags of fluid.
- Height-adjustable from 60".
- Tool-free push-button design makes adjusting easy.
- Convenient carry handle for easy transporting.

<u>Item #</u>	<u>Description</u>	<u>Pkg</u>	HCPCS
MDS129	2 Hook	5/cs	E0776



Tool-free push button design







Heavy-Duty, Aluminum I.V. Stand with Cast Iron Base is Ideal for Any Application That Requires an Extra Stable Base

- Extra-heavy duty 18 lb. cast iron, 5 wheel base with low center of gravity to ensure stability.
- Four durable, ram's horn hooks hold items securely.
- Accommodates two pumps up to 14 lbs. each and two 3-liter bags of fluid.
- Height-adjustable from 48" to 80".
- Friction-grip lock makes adjusting easy.
- Ideal for pumps, multiple bags, or any application, which requires an extra stable base.
- 5-Year warranty.
- Base 24" Diameter.

<u>Item # Description Pkg HCPCS</u> MDS80500 4 Hook 2/cs E0776

<u>Deluxe I.V. Stand Provides Smooth, Quiet Operation</u> and is Corrosion Resistant

- · Four, ram's horn style hooks.
- Accommodates two pumps up to 14 lbs. each and two 3-liter bags of fluid.
- Microphone-style knob makes adjustments easy.
- Constructed of corrosion-resistant aluminum with five-legged, 24" diameter, cast-aluminum base.
- 2", heavy-duty casters provide smooth, quiet movement.
- Height is adjustable from 56¾" to 96".
- Base weighs 10 lbs.

<u>Item # Description Pkg HCPCS</u> MDS80494 4 Hook 2/cs E0776

Standard I.V. Stand Holds Solution Containers Securely

- Ram's horn-style hooks hold solution containers and other items securely.
- Accommodates one pump up to 14 lbs. each and two 3-liter bags of fluid.
- Large, 18" diameter, four-legged base provides the stand with excellent stability.
- Both base and pole are made of steel for durability.
- Height adjusts from 47" to 85".

<u>Item # Description Pkg HCPCS</u> MDS80441 2 Hook each E0776

Stainless Steel I.V. Stand is Ideal for the O.R.

- 4-hook "Secure Grip" hooks.
- Accommodates two pumps up to 14 lbs. each and two 3 liter bags of fluid.
- Design supports all makes of infusion pumps with multi-pump capability.
- Base post: 1" O.D., stainless steel tubing.
- Extension post: ³/₄" O.D., stainless steel tubing.
- 5-leg stand equipped with 2" single-wheel, hard-rubber casters.
- Height is adjustable from 64" to 106".
- Base 24" Diameter.

<u>Item # Description Pkg HCPCS</u> JCC14154R Deluxe, 4 Hook each E0776



ICC14154R





<u>Chrome, Manual, Hydraulic Patient Lifter</u> <u>Features an Innovative, 6-Point Cradle</u>

- Innovative, 6-point cradle works with an array of slings, including 4-point and 2-point slings.
- Extended reach means floor pick-up capabilities.
- Adjustable legs.
- Cradle design minimizes sway.
- 400 lb., assisted, weight capacity.
- Long-wearing, chrome finish maintains appearance.
- Floor pick-up capability helps prevent caregiver strain.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS88200D	Manual Hydraulic Lifter	each	E0630



Fixed, Offset Trapeze Bar Offers a Wide-Range of Height Adjustments and Handbar Positions

- Unit mounts to frame headboards and is designed to offer a wide-range of height adjustments and handbar positions.
- Frame is constructed of heavy-gauge, square, steel tubing for greatest strength.
- Nylon coating provides a secure grip on handbar.
- Wall bumpers and padded mounting brackets protect bed ends and wall surfaces.
- Assembles without tools.
- Free-standing, optional base also available (as shown).
- 250 lb. weight capacity

HCPCS E0910 (Trapeze bar attached to bed)			



600 lb., Heavy-Duty, Power Patient Lifter

- High-quality, economical, 600 lb. capacity, power lift that meets the needs of more patients.
- Power-operated base allows the legs to be positioned where you need them.
- Base clearance of 4½" fits under most beds.
- Directional wheel guide for straight steering.
- Ergonomic design makes patient transfers simple.
- Long, padded handles offer various grip choices for users of different heights.
- Floor pick-up capability helps prevent caregiver strain.
- Emergency stop, power, manual lowering and audible, low-battery warning provide safety.
- 4-point, cradle design minimizes patient sway.



<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	HCPC:
MDS80600P4	Heavy-Duty Power Lifter	each	E0635
MDS806P4WSC	Heavy-Duty Power Lifter w/Scale	each	E0635
MDS600SC	4-Point Cradle w/Scale	each	_

Electronic, Digital Scale

- Precise weight measurement can be obtained more quickly than with non-digital scales.
- Digital weight reads out in pounds (400 lbs. capacity) or kilograms (182 kg capacity) with the push of the button.
- Display flashes if weight limit has been exceeded.
- Battery-power conserved, since scale automatically shuts off after two minutes of continuous operation.

Item #	<u>Description</u>	Pkg.
MPH07PL04	Electronic Digital Scale	each
DETPLHKIT	Bolt for Digital Scale	each
	and S-Hook	



Digital Scale provides easy-to-read, precise measurement.

MPH07PL04

Today's lifters use **state-of-the-art ergonomic design** and **quality components**. The result—a lifter that you can <u>always</u> depend on.



Medline Power Lift is Powered by a 24-Volt, Rechargeable Battery System

- Electric lift is powered by a 24-volt, rechargeable battery system.
- Hand-held, push-button control for easy operation.
- Innovative, 6-point, non-sway cradle offers extra stability.
- Ergonomic handle grips for easier positioning.
- Improved patient legroom with reverse-mounted actuator.
- Leg guards and caster bumpers prevent wall and furniture damage.
- 400 lb. weight capacity.
- Floor pick-up capability helps prevent caregiver strain.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS80400P6	Medline Power Lift	each	E0635





Manual Hydraulic Patient Lifter's Pump Handles Rotate, Allowing Operation from Either Side of Lifter

- Contemporary painted design.
- Ergonomically-placed, hydraulic, pump handle is easy to use.
- Pump handle rotates, allowing operation from either side of lifter.
- Adjustable U-Legs for easier seating or toileting.
- Disassembles for easy storage.
- 400 lb., assisted, weight capacity.
- Floor pick-up capability helps prevent caregiver strain.

<u>Item #</u>	<u>Description</u>	<u>Pkg.</u>	<u>HCPCS</u>
MDS80400H6	Manual Hydraulic Lifter	each	E0630

4-Point Slings



U-Sling, padded

Durable, polyester with closed-cell, foam padding for comfort.

MDS8770000 XL MDS8770001 MDS8770002 M MDS8770003 S



U-Sling, padded w/ head support

Durable polyester with closed-cell, foam padding for comfort and nylon head support

MDS8770010 XL MDS8770011 L MDS8770012 M MDS8770013



One-Piece Sling w/positioning strap "Full Body"

Provides easy position adjustment of patient. Durable polyester with closed-cell, foam padding for comfort.

MDS8770051 MDS8770052 M MDS8770053 S



One-Piece Commode Sling w/positioning strap "Full Body"

Aperture for toileting without having to remove sling. Provides easy position adjustment of patient. Durable polyester with closed-cell, foam padding for comfort.

MDS8770056 MDS8770057 M MDS8770058 S



Bath Sling, nylon mesh w/ head support

Fast-draining and drying nylon mesh for bathing. MDS8750025

MDS8750026 MDS8750027



Bath Sling, nylon mesh

Fast-draining and drying nylon mesh for bathing.

MDS8750020 MDS8750021 MDS8750022 M MDS8750023

Use with 4-Point and 6-Point Cradles only 600 lb. weight capacity

2-Point Slings





MDS 87810CLC

MDS 87815CLC





MDS 87830CLC

MDS 87835CLC





MDS 87820CLS

MDS 87825CLS






MDS87800CLS

MDS87805CLS

Nylon



Canvas

All our 2-Point Slings are available in your choice of three 2-ply fabrics: 100% Cotton Water Repellent Canvas, Urethane Coated Nylon or 100% Polyester Mesh

Patient Slings without Head Support

Comfort Seat, Two Chains, 35.5" x 40"

MDS87810C Canvas, with chains each MDS87810N Nylon, with chains each MDS87810CLC Canvas, without chains each MDS87810NLC Nylon, without chains each MDS87810DLC Poly Mesh, without chains each

Comfort Commode Seat, Two Chains, 35.5" x 40"

MDS87815C Canvas, with chains each MDS87815N Nylon with chains each MDS87815CLC Canvas, without chains each MDS87815NLC Nylon, without chains each MDS87815DLC Poly Mesh, without chains each

Comfort Seat, Three Web Straps, 35.5" x 40"

MDS87820C Canvas, with straps each MDS87820N Nylon, with straps each MDS87820D Poly Mesh, with straps each MDS87820CLS Canvas, without straps each MDS87820NLS Nylon, without straps each MDS87820DLS Poly Mesh, without straps each Comfort Commode Seat, Three Web Straps, 35.5" x 40" MDS87825C Canvas, with straps each

MDS87825N Nylon, with straps each MDS87825CLS Canvas, without straps each MDS87825NLS Nylon, without straps each MDS87825DLS Poly Mesh, without straps each

350 lb. weight capacity for Nylon or Canvas slings 275 lb. weight capacity for Poly Mesh slings HCPCS: E0621 for all

All slings are available in green canvas, white nylon or white poly mesh

Patient Slings with Head Support

Comfort Seat, Wire Head Support Two Web Straps, 33.5" x 41"

MDS87800C Canvas, with straps each MDS87800N Nylon, with straps each MDS87800D Poly Mesh, with straps each

Comfort Commode Seat, Wire Head Support Two Web Straps, 33.5" x 41"

MDS87805N Nylon with straps each MDS87805NLS Nylon, without straps MDS87805CLS Canvas, without straps each

Comfort Seat, Modified Head Support Two Chains, 53" x 35"

MDS87830C Canvas, with chains each MDS87830N Nylon, with chains each MDS87830D Poly Mesh, with chains each MDS87830CLC Canvas, without chains each MDS87830NLC Nylon, without chains each MDS87830DLC Poly Mesh, without chains each

Comfort Commode Seat, Modified Head Support Two Chains, 53" x 35"

MDS87835C Canvas, with chains each MDS87835N Nylon, with chains each MDS87835D Poly Mesh, with chains each MDS87835CLC Canvas, without chains MDS87835NLC Nylon, without chains each MDS87835DLC Poly Mesh, without chains each

Replacement Parts

MDS87555 Replacement chains each MDS87556 Replacement straps each MDS87557 Replacement bars for sling each Use with 2-Point and 6-Point Cradles only


Introducing...

The NEW Medline Retail Merchandising Program

Designed to Maximize Your Profitability

Medline recognizes that many HME providers want to enhance their showroom floors and cash sales with retail products. Medline's now offers Medline Merchandising Solutions to help HME providers increase revenues on retail items.

Based on research with HME providers across the country, Medline has developed planograms that suggest the best items to feature in the bath safety, walking aids and bariatric categories. Medline's Merchandising Solutions also include attractive valences, aisle violators, banners, and posters to enhance the appeal and prominence of your retail section.



For more information contact your Medline sales representative or call **1-800-MEDLINE**.